KIDNEY INTERNATIONAL

Volume 58, Number 1, July 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Protein metabolism in patients with chronic renal failure: Role of uremia and dialysis. *Victoria S. Lim and Joel D. Kopple* 1

PERSPECTIVES IN BASIC SCIENCE

Sphingolipids. *James A. Shayman* 11

GENETIC DISORDERS – DEVELOPMENT

Expression of mitogen-activated protein kinase family in rat renal development. *Sayu Omori, Mariko Hida, Kenji Ishikura, Shigeru Kuramochi, and Midori Awazu* 27

Evaluation of the calcium-sensing receptor gene in idiopathic hypercalciuria and calcium nephrolithiasis. *Martin Petrucci, Patrick Scott, Denis Ouimet, Marie-Lucie Trouvé, Yanick Proulx, Luc Valiquette, Gérald Guay, and Alain Bonnardeaux* 38

HORMONES – CYTOKINES – SIGNALING

Hypoxia and interleukin-1β stimulate vascular endothelial growth factor production in human proximal tubular cells. *Baha El Awad, Burkhard Kreft, Eva-Maria Wolber, Thomas Hellwig-Bürgel, Eric Metzen, Joachim Fandrey, and Wolfgang Jelkmann* 43

Mycophenolate mofetil reduces myofibroblast infiltration and collagen III deposition in rat remnant kidney. *Chérif Badid, Madeleine Vincent, Brigitte McGregor, Martine Melin, Aoumeur Hadj-Aissa, Cécile Veysseyre, Daniel J. Hartmann, Alexis Desmouliere, and Maurice Laville* 51

Growth hormone receptor abundance in tibial growth plates of uremic rats: GH/IGF-I treatment. *Stephanie R. Edmondson, Naomi L. Baker, Jun Oh, Gabor Kovacs, George A. Werther, and Otto Mehls* 62

PTHrP enhances the secretory response of PTH to a hypocalcemic stimulus in rat parathyroid glands. *Ewa Lewin, Yolanda Almaden, Mariano Rodriguez, and Klaus Olgaard* 71

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Inhibition of nitric oxide synthase ameliorates cellular injury in sickle cell mouse kidneys. *Norman Bank, Militza Kiroycheva, Pravin C. Singhal, Gillian M. Anthony, Garry J. Southan, and Csaba Szabo* 82

Combined glomerular deposition of polymeric rat IgA and IgG aggravates renal inflammation. *Mieneke G.A. van Dixhoorn, Toshinobu Sato, Yvonne Muizert, Danielle J. van Gijlswijk-Janssen, Emile de Heer, and Mohamed R. Daha* 90

An anti-CD5 monoclonal antibody ameliorates proteinuria and glomerular lesions in rat mesangioproliferative glomerulonephritis. *Yohei Ikezumi, Hiroshi Kawachi, Shinichi Toyabe, Makoto Uchiyama, and Fujio Shimizu* 100

High affinity of anti-GBM antibodies from Goodpasture and transplanted Alport patients to α3(IV)NC1 collagen. *Abraham Rutgers, Kevin E.C. Meyers, Gabriela Canziani, Raghuram Kalluri, Julie Lin, and Michael P. Madaio* 115

Cover: In HIV-1 transgenic mice with pathological changes consistent with HIV-associated nephropathy, WT-1 expression was markedly reduced in the nuclei of podocytes forming pseudocrescents. (From Barisoni et al. Fig. 2F, p. 176.)

Cyclosporine induces different responses in human epithelial, endothelial and fibroblast cell cultures. *Ciro Esposito, Alessia Fornoni, Flavia Cornacchia, Nicoletta Bellotti, Gianluca Fasoli, Annalisa Foschi, Iolanda Mazzucchelli, Tiziana Mazzullo, Luca Semeraro, and Antonio Dal Canton* 123

Transforming growth factor-β1 increases albumin permeability of isolated rat glomeruli via hydroxyl radicals. *Ram Sharma, Ashwani Khanna, Mukut Sharma, and Virginia J. Savin* 131

Podocyte cell cycle regulation and proliferation in collapsing glomerulopathies. *Laura Barisoni, Michele Mokrzycki, Leonada Sablay, Michio Nagata, Harold Yamase, and Peter Mundel* 137

Angiotensin II induces renal oxidant stress in vivo and heme oxygenase-1 in vivo and in vitro. *Eric N. Haugen, Anthony J. Croatt, and Karl A. Nath* (See Editorial by Meyer, p. 458) 144

Effects of ACE inhibition and bradykinin antagonism on cardiovascular changes in uremic rats. *Kerstin Amann, Peter Gassmann, Moriz Buzello, Stephan Reinhold Orth, Johannes Törnig, Marie Luise Gross, Achim Magener, Gerhard Mall, and Eberhard Ritz* 153

G_1 kinases and transforming growth factor-β signaling are associated with a growth pattern switch in diabetes-induced renal growth. *Hai-Chang Huang and Patricia A. Preisig* 162

HIV-1 induces renal epithelial dedifferentiation in a transgenic model of HIV-associated nephropathy. *Laura Barisoni, Leslie A. Bruggeman, Peter Mundel, Vivette D. D'Agati, and Paul E. Klotman* 173

MCP-1 and EGF renal expression and urine excretion in human congenital obstructive nephropathy. *Giuseppe Grandaliano, Loreto Gesualdo, Fabio Bartoli, Elena Ranieri, Raffaella Monno, Antonio Leggio, Guglielmo Paradies, Eustachio Caldarulo, Barbara Infante, and F. Paolo Schena* 182

Plasma membrane cholesterol: A critical determinant of cellular energetics and tubular resistance to attack. *Richard A. Zager, with the technical assistance of Ali Johnson and Katie Anderson* 193

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Chronic metabolic acidosis increases NaDC-1 mRNA and protein abundance in rat kidney. *Seiji Aruga, Stephan Wehrli, Brigitte Kaissling, Orson W. Moe, Patricia A. Preisig, Ana M. Pajor, and Robert J. Alpern* 206

Dysregulation of renal aquaporins and Na-Cl cotransporter in CCl_4-induced cirrhosis. *Patricia Fernández-Llama, Wladimiro Jimenez, Marta Bosch-Marcé, Vincente Arroyo, Søren Nielsen, and Mark A. Knepper* 216

Red cell Na^+/Li^+ countertransport and Na^+/H^+ exchanger isoforms in human proximal tubules. *Leong L. Ng, Paulene A. Quinn, Frease Baker, and Susan J. Carr* 229

Alterations of protein metabolism by metabolic acidosis in children with chronic renal failure. *Yves Boirie, Michel Broyer, Marie France Gagnadoux, Patrick Niaudet, and Jean-Louis Bresson* 236

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Long-term renal effects of unilateral ureteral obstruction and the role of endothelin. *Fayez T. Hammad, Antony M. Wheatley, and Gerard Davis* 242

Plasminogen activator inhibitor-1 expression is regulated by the angiotensin type 1 receptor in vivo. *Shinya Nakamura, Ikuko Nakamura, LiJun Ma, Douglas E. Vaughan, and Agnes B. Fogo* (See Editorial by Basile, p. 460) 251

Inadequate diagnosis and therapy of arterial hypertension as causes of left ventricular hypertrophy in uremic dialysis patients. *Giuseppe Cannella, Ernesto Paoletti, Giambattista Ravera, Paolo Cassottana, Paolo Araghi, Donatella Mulas, Giancarlo Peloso, Roberto Delfino, and Piergiorgio Messa, with the technical assistance of Caterina Surico* 260

Erythropoietin regulates vascular smooth muscle cell apoptosis by a phosphatidylinositol 3 kinase-dependent pathway. *Tetsu Akimoto, Eiji Kusano, Toshiya Inaba, Osamu Iimura, Hideaki Takahashi, Hiromi Ikeda, Chiharu Ito, Yasuhiro Ando, Keiya Ozawa, and Yasushi Asano* 269

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Predicting patient outcome from acute renal failure comparing three general severity of illness scoring systems. *Enrico Fiaccadori, Umberto Maggiore, Maria Lombardi, Sabina Leonardi, Carlo Rotelli, and Alberico Borghetti* 283

Plasma lipids and risk of developing renal dysfunction: The Atherosclerosis Risk in Communities Study. *Paul Muntner, Josef Coresh, J. Clinton Smith, John Eckfeldt, and Michael J. Klag* 293

Higher incidence of diabetic nephropathy in type 2 than in type 1 diabetes in early-onset diabetes in Japan. *Hiroki Yokoyama, Maki Okudaira, Toshika Otani, Akiko Sato, Junnoske Miura, Hiroko Takaike, Hitomi Yamada, Kazuko Muto, Yasuko Uchigata, Yasuo Ohashi, and Yasuhiko Iwamoto* 302

Fetal serum β_2-microglobulin predicts postnatal renal function in bilateral uropathies. *Marc Dommergues, Françoise Muller, Sandrine Ngo, Patrick Hohlfeld, Jean-François Oury, Laurent Bidat, Dominique Mahieu-Caputo, Paul Sagot, Gilles Body, Romain Favre, and Yves Dumez* 312

A multicenter trial of mizoribine compared with placebo in children with frequently relapsing nephrotic syndrome. *Kazuo Yoshioka, Yasuo Ohashi, Tadasu Sakai, Hiroshi Ito, Norishige Yoshikawa, Hajime Nakamura, Takakuni Tanizawa, Hiroyoshi Wada, and Sunao Maki, for the Pediatric Mizoribine Study Group in Japan* 317

DIALYSIS–TRANSPLANTATION

Interaction of cyclosporine and FK506 with diuretics in transplant patients. *John M. Arthur and Shazia Shamim* 325

Role of persistent amenorrhea in bone mineral metabolism of young hemodialyzed women. *José R. Weisinger, Leyda Gonzalez, Hector Alvarez, Eddy Hernandez, Raúl G. Carlini, Freya Capriles, Mercedes Cerviño, Ruby Martinis, Virgilio Paz-Martínez, and Ezequiel Bellorín-Font* 331

Calculated nitrogen balance in hemodialysis patients: Influence of protein intake. *Madhumathi Rao, Manju Sharma, Rajiv Juneja, Sara Jacob, and Chakko Korula Jacob* 336

The acute-phase response varies with time and predicts serum albumin levels in hemodialysis patients. *George A. Kaysen, Joel A. Dubin, Hans G. Müller, Laura M. Rosales, Nathan W. Levin, and The HEMO Study Group* 346

Atherosclerotic cardiovascular disease risks in chronic hemodialysis patients. *Alfred K. Cheung, Mark J. Sarnak, Guofen Yan, Johanna T. Dwyer, Robert J. Heyka, Michael V. Rocco, Brendan P. Teehan, Andrew S. Levey, and The Hemodialysis (HEMO) Study* 353

Need for an incentive-based reimbursement policy toward quality care for dialysis patient management. *Hideo Hidai* 363

N-terminal fragments of the proatrial natriuretic peptide in patients before and after hemodialysis treatment. *Martina Franz, Wolfgang Woloszczuk, and Walter H. Hörl* 374

Fungal peritonitis in children receiving peritoneal dialysis: A report of the NAPRTCS. *Bradley A. Warady, Mwaffek Bashir, and Lynn A. Donaldson* 384

A prospective randomized trial of three different sizes of core-cutting needle for renal transplant biopsy. *Michael L. Nicholson, Timothy J. Wheatley, Tahir M. Doughman, Steven A. White, Justin D.T. Morgan, Peter S. Veitch, and Peter N. Furness* 390

Increased risk of hip fracture among patients with end-stage renal disease. *Astier M. Alem, Donald J. Sherrard, Daniel L. Gillen, Noel S. Weiss, Shirley A. Beresford, Susan R. Heckbert, Craig Wong, and Catherine Stehman-Breen* 396

Importance of dialysis adequacy in mortality and morbidity of Chinese CAPD patients. *Cheuk-Chun Szeto, Teresa Yuk-Hwa Wong, Chi-Bon Leung, Angela Yee-Moon Wang, Man-Ching Law, Siu-Fai Lui, and Philip Kam-Tao Li* 400

Comparing different methods of assessing body composition in end-stage renal failure. *Bruce A. Cooper, Alireza Aslani, Murielle Ryan, Fiona Y-P. Zhu, Lloyd S. Ibels, Barry J. Allen, and Carol A. Pollock* . . . 408

Contents continued on next page

Role of different dialysis membranes in the release of interleukin-6-soluble receptor in uremic patients. *Bruno Memoli, Loredana Postiglione, Bruno Cianciaruso, Vincenzo Bisesti, Cristina Cimmaruta, Luigi Marzano, Roberto Minutolo, Vincenzo Cuomo, Brunella Guida, Michele Andreucci, and Guido Rossi* . . 417

Advanced glycation and lipidoxidation of the peritoneal membrane: Respective roles of serum and peritoneal fluid reactive carbonyl compounds. *Toshio Miyata, Katsunori Horie, Yasuhiko Ueda, Yuji Fujita, Yuko Izuhara, Hiroshi Hirano, Koji Uchida, Akira Saito, Charles van Ypersele de Strihou, and Kiyoshi Kurokawa* 425

A calcimimetic agent lowers plasma parathyroid hormone levels in patients with secondary hyperparathyroidism. *William G. Goodman, Joao M. Frazao, David A. Goodkin, Stewart A. Turner, Wei Liu, and Jack W. Coburn* 436

Peritoneal dialysis adequacy and risk of death. *Michael Rocco, J. Michael Soucie, Stephen Pastan, and William M. McClellan* 446

EDITORIALS

Why we block angiotensin II. *Timothy W. Meyer* 458

Is angiotensin II's role in fibrosis as easy as PAI(-1)? *David P. Basile* 460

LETTERS TO THE EDITOR

Hepatitis C virus in hemodialysis. *Mario Espinosa, Alejandro Martín-Malo, and Pedro Aljama* 462

Diagnosing sickle cell disease. *Giovanni B. Fogazzi* 463

Association of mortality and morbidity with bioimpedance analysis. *Biagio Di Iorio and Vincenzo Bellizzi* 464

Statistical error in pamidronate study? *Ole Lander Svendsen* 465

NEPHROLOGY FORUM

Apoptotic regulatory proteins in renal injury. *Alberto Ortiz* 467

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 487

Awards and grants 489

Instructions for Authors on page xxi

KIDNEY INTERNATIONAL

Volume 58, Number 2, August 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Living unrelated donor kidney transplantation. *David W. Gjertson and J. Michael Cecka* 491

PERSPECTIVES IN BASIC SCIENCE

A molecular and genetic view of human renal and urinary tract malformations. *Adrian S. Woolf* 500

GENETIC DISORDERS – DEVELOPMENT

Angiotensin I-converting enzyme gene insertion/deletion and angiotensinogen M235T polymorphisms: Risk of chronic renal failure. *Janusz Gumprecht, Marcin J. Zychma, Wladyslaw Grzeszczak, Ewa Zukowska-Szczechowska, and the End-Stage Renal Disease Study Group* 513

Clinical and genetic studies of *CLCN5* mutations in Japanese families with Dent's disease. *Takashi Igarashi, Jun Inatomi, Toshio Ohara, Takashi Kuwahara, Mitsunobu Shimadzu, and Rajesh V. Thakker* 520

Altered gene expression in kidneys of mice with 2,8-dihydroxyadenine nephrolithiasis. *Li Wang, Nandita Raikwar, Li Deng, Min Yang, Li Liang, Changshun Shao, Andrew P. Evan, Peter J. Stambrook, Amrik Sahota, and Jay A. Tischfield* 528

HORMONES – CYTOKINES – SIGNALING

A DNA element in the α1 type III collagen promoter mediates a stimulatory response by angiotensin II. *Gian Marco Ghiggeri, Roberta Oleggini, Luca Musante, Gianluca Caridi, Rosanna Gusmano, and Roberto Ravazzolo* 537

Angiotensin II-induced growth of vascular smooth muscle cells requires an Src-dependent activation of the epidermal growth factor receptor. *Dirk Bokemeyer, Udo Schmitz, and Herbert J. Kramer* (see Editorial by Harris, p. 898) 549

Identification of 25-hydroxyvitamin D_3 1α-hydroxylase gene expression in macrophages. *Toshiaki Monkawa, Tadashi Yoshida, Matsuhiko Hayashi, and Takao Saruta* 559

Impact of uremia on female reproductive cyclicity, ovulation, and luteinizing hormone in the rat. *Richard J. Krieg, Jr., Keiko Tokieda, James C.M. Chan, and Johannes D. Veldhuis* 569

Zinc deficiency further increases the enhanced expression of endothelin-1 in glomeruli of the obstructed kidney. *Hiroyuki Yanagisawa, Kazuaki Moridaira, and Osamu Wada* 575

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Progressive renal fibrosis in murine polycystic kidney disease: An immunohistochemical observation. *Hirokazu Okada, Shinichi Ban, Shizuko Nagao, Hisahide Takahashi, Hiromichi Suzuki, and Eric G. Neilson* 587

Cover: PAS staining of a tissue cross-section from an obese rabbit pressure-perfused kidney from the lateral aspect of the papilla, where the collecting ducts course toward the center to join the ducts of Bellini. (From Dwyer et al, Fig. 1A, p. 725).

Mesangial factor V expression colocalized with fibrin deposition in IgA nephropathy. *Ning Liu, Takahiko Ono, Katsuo Suyama, Fumiaki Nogaki, Kiichi Shirakawa, Mari Maeda, Takahide Kawamura, Tadashi Kamata, Atsushi Oyama, Eri Muso, and Shigetake Sasayama* 598

Infection of mesangial cells with HIV and SIV: Identification of GPR1 as a coreceptor. *Shigemi Tokizawa, Nobuaki Shimizu, Liu Hui-Yu, Fang Deyu, Yuji Haraguchi, Takashi Oite, and Hiroo Hoshino* 607

Interstitial fibrosis in mice with overload proteinuria: Deficiency of TIMP-1 is not protective. *Allison A. Eddy, Heungsoo Kim, Jesús López-Guisa, Takashi Oda, and Paul D. Soloway, with the technical assistance of Lori McCulloch, Elaine Liu, and Diane Wing* 618

Immunoglobulins in chronic renal failure of childhood: Effects of dialysis modalities. *Antonia H.M. Bouts, Jean-Claude Davin, Raymond T. Krediet, Mirjam B. van der Weel, Cornelis H. Schröder, Leo Monnens, Jeroen Nauta, and Theo A. Out* 629

Phospholipase A_2 mediates immediate early genes in cultured renal epithelial cells: Possible role of lysophospholipid. *Yasuo Kohjimoto, Thomas W. Honeyman, Julie Jonassen, Kathryn Gravel, Lori Kennington, and Cheryl R. Scheid* 638

Erythropoietin stimulates proliferation of human renal carcinoma cells. *Christof Westenfelder and Robert L. Baranowski* 647

Tempol, a membrane-permeable radical scavenger, reduces oxidant stress-mediated renal dysfunction and injury in the rat. *Prabal K. Chatterjee, Salvatore Cuzzocrea, Paul A.J. Brown, Kai Zacharowski, Keith N. Stewart, Helder Mota-Filipe, and Christoph Thiemermann* 658

Differential expression of cyclin-dependent kinase inhibitors in human glomerular disease: Role in podocyte proliferation and maturation. *Stuart J. Shankland, Frank Eitner, Kelly L. Hudkins, Tracy Goodpaster, Vivette D'Agati, and Charles E. Alpers* 674

Possible relationship of monocyte chemoattractant protein-1 with diabetic nephropathy. *Nobuyuki Banba, Tsutomu Nakamura, Michiko Matsumura, Hisamoto Kuroda, Yoshiyuki Hattori, and Kikuo Kasai* 684

Osteopontin mediates hypoxia-induced proliferation of cultured mesangial cells: Role of PKC and p38 MAPK. *Chhinder P. Sodhi, Daniel Batlle, and Atul Sahai* 691

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Expression of renal aquaporins 1, 2, and 3 in a rat model of cisplatin-induced polyuria. *Bellamkonda K. Kishore, Carissa M. Krane, Darren Di Iulio, Anil G. Menon, and William Cacini* 701

Diminished natriuretic response to dopamine in old rats is due to an impaired D_1-like receptor-signaling pathway. *Sucheta Beheray, Vikram Kansra, Tahir Hussain, and Mustafa F. Lokhandwala* 712

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Distribution of renal medullary hyaluronan in lean and obese rabbits. *Terry M. Dwyer, Shandra A. Banks, Magdalena Alonso-Galicia, Kathy Cockrell, Joan F. Carroll, Stephen A. Bigler, and John E. Hall* 721

Human tissue kallikrein gene delivery attenuates hypertension, renal injury, and cardiac remodeling in chronic renal failure. *William C. Wolf, Hideaki Yoshida, Jun Agata, Lee Chao, and Julie Chao* 730

Renal nitric oxide production during the early phase of experimental diabetes mellitus. *Shoshana Keynan, Boaz Hirshberg, Nomy Levin-Iaina, Isaiah D. Wexler, Rachel Dahan, Etty Reinhartz, Haim Ovadia, Yoram Wollman, Tamara Chernihovskey, Adrian Iaina, and Itamar Raz* 740

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Comparative effects of potassium chloride and bicarbonate on thiazide-induced reduction in urinary calcium excretion. *Lynda A. Frassetto, Eileen Nash, R. Curtis Morris, Jr., and Anthony Sebastian* 748

A novel mechanism for skeletal resistance in uremia. *Eduardo Slatopolsky, Jane Finch, Patricia Clay, Daniel Martin, Gregorio Sicard, Gary Singer, Ping Gao, Thomas Cantor, and Adriana Dusso* 753

Long-term comparison of losartan and enalapril on kidney function in hypertensive type 2 diabetics with early nephropathy. *Yves Lacourcière, André Bélanger, Chantal Godin, Jean-Pierre Hallé, Stuart Ross, Noël Wright, and Jean Marion* 762

Relationship between weight at birth and the number and size of renal glomeruli in humans: A histomorphometric study. *Reinaldo Mañalich, Leonardo Reyes, Mercedes Herrera, Clara Melendi, and Isabel Fundora* 770

Evaluation of duplex ultrasound and captopril renography for detection of renovascular hypertension. *Mats Johansson, Gert Jensen, Mattias Aurell, Peter Friberg, Hans Herlitz, Hans Klingenstierna, and Reinhard Volkmann* 774

Impact of interleukin-1 receptor antagonist and tumor necrosis factor-α gene polymorphism on IgA nephropathy. *Kuo-Hsiung Shu, Shen-Huey Lee, Chi-Hung Cheng, Ming-Ju Wu, and Jong-Da Lian* 783

DIALYSIS–TRANSPLANTATION

Effect of vitamin E-bonded membrane on the 8-hydroxy 2′-deoxyguanosine level in leukocyte DNA of hemodialysis patients. *Der-Cherng Tarng, Tung-Po Huang, Tsung-Yun Liu, Haw-Wen Chen, Yen-Jen Sung, and Yau-Huei Wei* 790

Impact of biofeedback-induced cardiovascular stability on hemodialysis tolerance and efficiency. *Claudio Ronco, Alessandra Brendolan, Massimo Milan, Mariapia P. Rodeghiero, Monica Zanella, and Giuseppe La Greca* 800

Effects of a reduced inner diameter of hollow fibers in hemodialyzers. *Claudio Ronco, Alessandra Brendolan, Andrea Lupi, George Metry, and Nathan W. Levin* 809

Potential of dual-skinned, high-flux membranes to reduce backtransport in hemodialysis. *Paul J. Soltys, Andrew Zydney, John K. Leypoldt, Lee W. Henderson, and Norma J. Ofsthun* 818

Temporal changes of cytokines and nitric oxide products in urine from renal transplant patients. *Shannon D. Smith, Marcia A. Wheeler, Marc I. Lorber, and Robert M. Weiss* 829

Influence of cold-storage conditions on renal function of autotransplanted large pig kidneys. *Jean Michel Goujon, Alain Vandewalle, Herve Baumert, Michel Carretier, and Thierry Hauet* 838

Hyperhomocysteinemia in hemodialysis patients: Effects of 12-month supplementation with hydrosoluble vitamins. *Richard Tremblay, Alain Bonnardeaux, David Geadah, Lambert Busque, Michel Lebrun, Denis Ouimet, and Martine Leblanc* 851

Delayed graft function influences renal function, but not survival. *Henk Boom, Marko J.K. Mallat, Johan W. de Fijter, Aeilko H. Zwinderman, and Leendert C. Paul* 859

Increased intracellular reactive oxygen species in patients with end-stage renal failure: Effect of hemodialysis. *Martin Tepel, Martin Echelmeyer, Nelson N. Orie, and Walter Zidek* 867

Recombinant versus natural human ^{111}In-β_2-microglobulin for scintigraphic detection of $A\beta_2$m amyloid in dialysis patients. *Jürgen Schäffer, Wolfgang Burchert, Jürgen Floege, Peter Gielow, Christine Kionka, Reinhold P. Linke, Elisabeth H. Weiss, Stanley Shaldon, and Karl M. Koch* 873

Bradykinin and nitric oxide generation by dialysis membranes can be blunted by alkaline rinsing solutions. *Rosanna Coppo, Alessandro Amore, Paola Cirina, Bibiana Scelfo, Franca Giacchino, Luciano Comune, Mauro Atti, and Jean Louis Renaux* 881

Regression of left ventricular hypertrophy by lisinopril after renal transplantation: Role of *ACE* gene polymorphism. *Domingo Hernández, Juan Lacalzada, Eduardo Salido, José Linares, Antonio Barragán, Víctor Lorenzo, Luz Higueras, Basilio Martín, Aurelio Rodríguez, Ignacio Laynez, José M. González-Posada, and Armando Torres* 889

EDITORIAL

EGF receptor activation by G-protein coupled receptors. *Raymond C. Harris* 898

Contents continued on next page

LETTERS TO THE EDITOR

Body weight is a fluctuating parameter in hemodialysis patients. *Vincenzo Bellizzi, M. Francesca Cioffi, and Bruno Cianciaruso* 900

Organ commerce revisited. *Kristian T. Schafernak* 901

Comparison of survival data. *B. Charra, J.-M. Hurot, C. Chazot, C. VoVan, G. Jean, J.-C. Terrat, T. Vanel, M. Ruffet, and G. Laurent* 901

NEPHROLOGY FORUM

Radiation nephropathy after bone marrow transplantation. *Eric P. Cohen* 903

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 920

Awards and grants 922

Instructions for Authors on page xvi

KIDNEY INTERNATIONAL

Volume 58, Supplement 76, August 2000

From Pathophysiology to Clinical Hemodialysis

at the Beginning of the Next Millennium

Table of contents

Introduction. *Giuseppe La Greca, Horst Klinkmann, Fernando Valderrábano, and Pietro Zucchelli* ... S-1

Whither goest Kt/V? *Frank A. Gotch, John A. Sargent, and Marcia L. Keen* ... S-3

Confounding factors in the assessment of delivered hemodialysis dose. *Antonio Santoro* ... S-19

Urea as a marker of adequacy in hemodialysis: Lesson from in vivo urea dynamics monitoring. *Bernard Canaud, Jean-Yves Bosc, Laurent Cabrol, Hélène Leray-Moragues, Carlo Navino, Giuseppe Verzetti, and Karl Thomaseth* ... S-28

Adequacy in hemodialysis: New concepts derived from online urea monitoring. *Girolamo Arrigo, Alessandra Beltrame, and Giuliano Colasanti* ... S-41

The removal of uremic toxins. *Annemieke Dhondt, Raymond Vanholder, Wim Van Biesen, and Norbert Lameire* ... S-47

Adsorption in hemodialysis. *Julio Botella, Paolo M. Ghezzi, and Carmen Sanz-Moreno* ... S-60

Hemodiafiltration with online regeneration of the ultrafiltrate. *Angel Luis Martinez de Francisco, Paolo M. Ghezzi, Alessandra Brendolan, Fulvio Fiorini, Giuseppe La Greca, Claudio Ronco, Manuel Arias, Renzo Gervasio, and Ciro Tetta* ... S-66

Role of sodium in hemodialysis. *Michael J. Flanigan* ... S-72

Sodium modeling. *Helmut Mann and Siegfried Stiller* ... S-79

Relevance of the conductivity kinetic model in the control of sodium pool. *Francesco Locatelli, Salvatore Di Filippo, and Celestina Manzoni* ... S-89

The link of biocompatibility to cytokine production. *Vincenzo Panichi, Massimiliano Migliori, Stefano De Pietro, Daniele Taccola, Brunella Andreini, Maria Rita Metelli, Luca Giovannini, and Roberto Palla* ... S-96

Clinical relevance of cytokine production in hemodialysis. *Giovanni Pertosa, Giuseppe Grandaliano, Loreto Gesualdo, and Francesco Paolo Schena* ... S-104

The quality of dialysate: An integrated approach. *Gerhard Lonnemann* ... S-112

Relevance of oxidative and carbonyl stress to long-term uremic complications. *Toshio Miyata, Kiyoshi Kurokawa, and Charles van Ypersele de Strihou* ... S-120

Oxidant stress in hemodialysis: Prevention and treatment strategies. *Mary Lou Wratten, Ciro Tetta, Fulvio Ursini, and Alex Sevanian* ... S-126

Contents continued on next page

Nutritional aspects in hemodialysis. *Maurice Laville and Denis Fouque* S-133

Pathophysiology of cardiovascular disease in hemodialysis patients. *Frédérique Meeus, Olivier Kourilsky, Alain P. Guerin, Catherine Gaudry, Sylvain J. Marchais, and Gérard M. London* S-140

Adsorption in sepsis. *Claudio Ronco, Alessandra Brendolan, Maurizio Dan, Pasquale Piccinni, Rinaldo Bellomo, Concetta De Nitti, Paola Inguaggiato, and Ciro Tetta* S-148

The final word. *Giuseppe La Greca, Horst Klinkmann, Fernando Valderrábano, and Pietro Zucchelli* S-156

KIDNEY INTERNATIONAL

Volume 58, Number 3, September 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Estimating prevalence in single-gene kidney diseases progressing to renal failure. *Micheline Levy and Josué Feingold* 925

PERSPECTIVES IN BASIC SCIENCE

Cellular and molecular aspects of drug transport in the kidney. *Ken-ichi Inui, Satohiro Masuda, and Hideyuki Saito* 944

GENETIC DISORDERS–DEVELOPMENT

Albuminuria in nondiabetic relatives of IDDM patients with and without diabetic nephropathy. *Johan A. Fagerudd, Kim J. Pettersson-Fernholm, Mikael K. Riska, Carola Grönhagen-Riska, and Per-Henrik Groop* 959

Alleles of the α1 immunoglobulin gene 3′ enhancer control evolution of IgA nephropathy toward renal failure. *Corinne Aupetit, Mireille Drouet, Eric Pinaud, Yves Denizot, Jean-Claude Aldigier, Franck Bridoux, and Michel Cogné* 966

Congenital nephrotic syndrome (NPHS1): Features resulting from different mutations in Finnish patients. *Jaakko Patrakka, Marjo Kestilä, Jorma Wartiovaara, Vesa Ruotsalainen, Päivi Tissari, Ulla Lenkkeri, Minna Männikkö, Ilona Visapää, Christer Holmberg, Juhani Rapola, Karl Tryggvason, and Hannu Jalanko* 972

HORMONES–CYTOKINES–SIGNALING

No difference in intestinal strontium absorption after oral or IV calcitriol in children with secondary hyperparathyroidism. *Gianluigi Ardissino, Claus Peter Schmitt, Maria Luisa Bianchi, Valeria Daccò, Aldo Claris-Appiani, and Otto Mehls, for the European Study Group on Vitamin D in Children with Renal Failure* 981

Effects of renal denervation on the sodium excretory actions of leptin in hypertensive rats. *Daniel Villarreal, Garry Reams, and Ronald H. Freeman* 989

CCKB/gastrin receptors mediate changes in sodium and potassium absorption in the isolated perfused rat kidney. *Tammo von Schrenck, Maike Ahrens, Andreas de Weerth, Christoph Bobrowski, Gunter Wolf, Ludwig Jonas, Thomas Jocks, Martina Schulz, Michael Bläker, Michael Neumaier, and Rolf A.K. Stahl* 995

Regulation of protein kinase C-δ and -ε isoforms by phorbol ester treatment of LLC-PK_1 renal epithelia. *Hilary Clarke, Nicole Ginanni, Alejandro Peralta Soler, and James M. Mullin* 1004

Effects of fasting, feeding, and bisphosphonate administration on serum calcitriol levels in phosphate-deprived rats. *Arnold J. Felsenfeld, Aquiles Jara, Gabrielle Avedian, and Charles R. Kleeman* 1016

Chronic metabolic acidosis in azotemic rats on a high-phosphate diet halts the progression of renal disease. *Aquiles Jara, Arnold J. Felsenfeld, Jordi Bover, and Charles R. Kleeman* 1023

Cover: Localization of DE10 within the glomerulus of PAN-treated rats. Areas of co-localization of antibody and podocyte result in the cumulation of emission, which appears yellow. (From Khong et al, Fig. 7C, p. 1102).

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Haptoglobin reduces renal oxidative DNA and tissue damage during phenylhydrazine-induced hemolysis. *Yew Koon Lim, Andrew Jenner, Azhar bin Ali, Yanping Wang, Stephen I-Hong Hsu, Siew Meng Chong, Heinz Baumman, Barry Halliwell, and Sai-Kiang Lim* 1033

Identification of a hyaluronan as a crystal binding molecule at the surface of migrating and proliferating MDCK cells. *Carl F. Verkoelen, Burt G. van der Boom, and Johannes C. Romijn* 1045

Regulatory interactions of αβ and γδ T cells in glomerulonephritis. *Alexander R. Rosenkranz, Sara Knight, Sanjeev Sethi, Stephen I. Alexander, Ramzi S. Cotran, and Tanya N. Mayadas* 1055

Nitric oxide modulates stretch activation of mitogen-activated protein kinases in mesangial cells. *Alistair J. Ingram, Leighton James, Hao Ly, Kerri Thai, Lu Cai, and James W. Scholey* 1067

Anti-apoptotic effect of quercetin: Intervention in the JNK- and ERK-mediated apoptotic pathways. *Yoshihisa Ishikawa and Masanori Kitamura* 1078

Overexpression of $\alpha_1\beta_1$ integrin directly affects rat mesangial cell behavior. *Shoji Kagami, Shuzi Kondo, Maki Urushihara, Klemens Löster, Werner Reutter, Takahiko Saijo, Akiko Kitamura, Shoko Kobayashi, and Yasuhiro Kuroda* 1088

Inhibition of heparin-binding epidermal growth factor-like growth factor increases albuminuria in puromycin aminonucleoside nephrosis. *Tee Fern Khong, Scott Fraser, Marina Katerelos, Kathy Paizis, Prue A. Hill, and David A. Power* 1098

Distinct structural forms of type I collagen modulate cell cycle regulatory proteins in mesangial cells. *Harald O. Schöcklmann, Stefan Lang, Martina Kralewski, Andrea Hartner, Andrea Lüdke, and R. Bernd Sterzel* 1108

Antibodies to both ICAM-1 and LFA-1 do not protect the kidney against toxic ($HgCl_2$) injury. *Manuela Ghielli, Walter A. Verstrepen, Kathleen E.J. De Greef, Mark H. Helbert, Dirk K. Ysebaert, Etienne J. Nouwen, and Marc E. De Broe* 1121

Renovascular hypertension does not influence repair of glomerular lesions induced by anti-thymocyte glomerulonephritis. *Ulrich O. Wenzel, Gunter Wolf, Friedrich Thaiss, Udo Helmchen, and Rolf A.K. Stahl* 1135

Glomerulosclerosis and viral gene expression in HIV-transgenic mice: Role of *nef*. *Wataru Kajiyama, Jeffrey B. Kopp, Nancy J. Marinos, Paul E. Klotman, and Peter Dickie* 1148

A new morphologic index for the evaluation of renal biopsies in lupus nephritis. *Gary S. Hill, Michel Delahousse, Dominique Nochy, Elizabeth Tomkiewicz, Philippe Rémy, Françoise Mignon, and Jean-Philippe Méry* (See Editorial, p. 1354) 1160

Effect of nitric oxide modulation on TGF-β1 and matrix proteins in chronic cyclosporine nephrotoxicity. *Fuad S. Shihab, Hong Yi, William M. Bennett, and Takeshi F. Andoh* 1174

TIMP-1 gene expression and PAI-1 antigen after unilateral ureteral obstruction in the adult male rat. *Carla Duymelinck, Simonne J.H. Dauwe, Kathleen E.J. De Greef, Dirk K. Ysebaert, Gert A Verpooten, and Marc E. De Broe* 1186

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Massive reduction of urea transporters in remnant kidney and brain of uremic rats. *Ming-Chang Hu, Lise Bankir, Stéphanie Michelet, Germain Rousselet, and Marie-Marcelle Trinh-Trang-Tan* 1202

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Pulse pressure and isolated systolic hypertension: Association with microalbuminuria. *Massimo Cirillo, Davide Stellato, Martino Laurenzi, Walter Panarelli, Alberto Zanchetti, and Natale G. De Santo, for the Gubbio Study Collaborative Research Group* 1211

Aldosterone modulates plasminogen activator inhibitor-1 and glomerulosclerosis in vivo. *Nancy J. Brown, Shinya Nakamura, LiJun Ma, Ikuko Nakamura, Ellen Donnert, Michael Freeman, Douglas E. Vaughan, and Agnes B. Fogo* 1219

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Evolution of incipient nephropathy in type 2 diabetes mellitus. *Kevin V. Lemley, Isha Abdullah, Bryan D. Myers, Timothy W. Meyer, Kristina Blouch, William E. Smith, Peter H. Bennett, and Robert G. Nelson* 1228

Patients with nephrotic-range proteinuria have apolipoprotein C and E deficient $VLDL_1$. *Christopher J. Deighan, Muriel J. Caslake, Michael McConnell, J. Michael Boulton-Jones, and Christopher J. Packard* 1238

Older boys benefit from higher initial prednisolone therapy for nephrotic syndrome. *Masahiro Hiraoka, Hirokazu Tsukahara, Shinichi Haruki, Shuhei Hayashi, Nobuaki Takeda, Kazuhiko Miyagawa, Kenji Okuhara, Fumihiko Suehiro, Yusei Ohshima, and Mitsufumi Mayumi, for the West Japan Cooperative Study of Kidney Disease in Children* 1247

Cohort study of the treatment of severe HIV-associated nephropathy with corticosteroids. *Joseph A. Eustace, Eric Nuermberger, Michael Choi, Paul J. Scheel, Jr., Richard Moore, and William A. Briggs* . . . 1253

Total nitric oxide production is low in patients with chronic renal disease. *Rebecca J. Schmidt and Chris Baylis* (See Editorial, p. 1356) 1261

Acid and mineral balances and bone in familial proximal renal tubular acidosis. *Jacob Lemann, Jr., Nancy D. Adams, Donald R. Wilz, and Luis G. Brenes* 1267

Plasma phospholipid arachidonic acid content and calcium metabolism in idiopathic calcium nephrolithiasis. *Bruno Baggio, Alessandro Budakovic, Maria Angela Nassuato, Giuseppe Vezzoli, Enzo Manzato, Giovanni Luisetto, and Martina Zaninotto* 1278

Effects of current smoking and smoking discontinuation on renal function and proteinuria in the general population. *Jean-Michel Halimi, Bruno Giraudeau, Sylviane Vol, Emile Cacès, Hubert Nivet, Yvon Lebranchu, and Jean Tichet* 1285

Racial differences in survival of patients on dialysis. *York P.C. Pei, Celia M.T. Greenwood, Anne L. Chery, and George G. Wu* 1293

DIALYSIS – TRANSPLANTATION

Magnetic resonance imaging detection of rat renal transplant rejection by monitoring macrophage infiltration. *Yuqing Zhang, Stephen J. Dodd, Kristy S. Hendrich, Mangay Williams, and Chien Ho* 1300

Effect of waiting time on renal transplant outcome. *Herwig-Ulf Meier-Kriesche, Friedrich K. Port, Akinlolu O. Ojo, Steven M. Rudich, Julie A. Hanson, Diane M. Cibrik, Alan B. Leichtman, and Bruce Kaplan* . . 1311

Urea kinetic analysis of automated peritoneal dialysis allows calculation of a CAPD-equivalent Kt/V_{urea}. *Scott J. Schurman, Lawrence R. Shoemaker, and Bradley A. Warady* 1318

Effect of hemoglobin levels in hemodialysis patients with asymptomatic cardiomyopathy. *Robert N. Foley, Patrick S. Parfrey, Janet Morgan, Paul E. Barré, Patricia Campbell, Pierre Cartier, Douglas Coyle, Adrian Fine, Paul Handa, Iris Kingma, Cathy Y. Lau, Adeera Levin, David Mendelssohn, Norman Muirhead, Brendan Murphy, Richard K. Plante, Gerald Posen, and George A. Wells* 1325

TECHNICAL NOTE

A new procedure for evaluation of renal function without urine collection in rat. *Patricia A. Fischer, Claudia B. Bogoliuk, Agustín J. Ramirez, Ramiro A. Sánchez, and Lucas D. Masnatta* 1335

A simple method to detect an albumin permeability factor in the idiopathic nephrotic syndrome. *Alfredo A. Pegoraro, Ashok K. Singh, Jose A.L. Arruda, George Dunea, and Asad A. Bakir* 1342

RAPID COMMUNICATION: IF-LCM: Laser capture microdissection of immunofluorescently defined cells for mRNA analysis. *Hiroshi Murakami, Lance Liotta, and Robert A. Star* 1345

EDITORIALS

The Holy Grail: Pathological indices in lupus nephritis. *Melvin M. Schwartz* 1354

Renal failure: A state of nitric oxide deficiency? *Markus Ketteler and Eberhard Ritz* 1356

LETTERS TO THE EDITOR

High blood pressure and the kidney. *David Goldsmith* 1358

Survival of hemodialysis patients. *Dipankar Bhowmik* 1358

NEPHROLOGY FORUM

Endothelial cell dysfunction and nitric oxide synthase. *Michael S. Goligorsky* 1360

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1378

Awards and grants 1379

Instructions for Authors on page xxv

KIDNEY INTERNATIONAL

Volume 58, Supplement 77, September 2000

Diabetic Kidney Disease Research at the Turn of the Century

The Fourth Hyonam Kidney Laboratory

Soon Chun Hyang University International Symposium

Seoul, Korea

February 11–13, 2000

Table of contents

INTRODUCTION

Diabetic kidney disease research: Where do we stand at the turn of the century? *Hi Bahl Lee, Hunjoo Ha, Sung Il Kim, and Fuad N. Ziyadeh* S-1

DIRECT EFFECTS OF HIGH GLUCOSE

Aldose reductase and the role of the polyol pathway in diabetic nephropathy. *Marjorie Dunlop* S-3

Role of the hexosamine biosynthetic pathway in diabetic nephropathy. *Erwin D. Schleicher and Cora Weigert* S-13

Reactive oxygen species as glucose signaling molecules in mesangial cells cultured under high glucose. *Hunjoo Ha and Hi Bahl Lee* S-19

INDIRECT EFFECTS OF HIGH GLUCOSE

The missing link: A single unifying mechanism for diabetic complications. *Takeshi Nishikawa, Diane Edelstein, and Michael Brownlee* S-26

Role of galectin-3 as a receptor for advanced glycosylation end products. *Flavia Pricci, Gaetano Leto, Lorena Amadio, Carla Iacobini, Giulio Romeo, Samantha Cordone, Roberto Gradini, Paola Barsotti, Fu-Tong Liu, Umberto Di Mario, and Giuseppe Pugliese* S-31

Amadori-glycated albumin in diabetic nephropathy: Pathophysiologic connections. *Sheldon Chen, Margo P. Cohen, and Fuad N. Ziyadeh* S-40

CELL SIGNALING

Smad proteins and transforming growth factor-β signaling. *Mario Schiffer, Gero von Gersdorff, Markus Bitzer, Katalin Susztak, and Erwin P. Böttinger* S-45

Mechanism of transforming growth factor-β1 signaling: Role of the mitogen-activated protein kinase. *Mary E. Choi* S-53

CELL CYCLE AND APOPTOSIS

Cell cycle regulation in diabetic nephropathy. *Gunter Wolf* S-59

Apoptosis and extracellular matrix–cell interactions in kidney disease. *Hirofumi Makino, Hitoshi Sugiyama, and Naoki Kashihara* S-67

Cover: Cultured primary mouse mesangial cells generating dichlorofluorescein-sensitive reactive oxygen species when stimulated with 30 mmol/L glucose and visualized under confocal microscope. (From Ha and Lee, Fig. 1, p. S-20)

EXTRACELLULAR MATRIX METABOLISM

Role of mitogen-activated protein kinases as downstream effectors of transforming growth factor-β in mesangial cells. *Ken Inoki, Masakazu Haneda, Takeshi Ishida, Hiroyuki Mori, Shiro Maeda, Daisuke Koya, Toshiro Sugimoto, and Ryuichi Kikkawa* S-76

Effects of glucose on matrix metalloproteinase and plasmin activities in mesangial cells: Possible role in diabetic nephropathy. *Susan V. McLennan, Elizabeth Fisher, Sally Y. Martell, Alison K. Death, Paul F. Williams, J. Guy Lyons, and Dennis K. Yue* S-81

Effect of lovastatin on small GTP binding proteins and on TGF-β1 and fibronectin expression. *Sung Il Kim, Hey Jin Kim, Dong Cheol Han, and Hi Bahl Lee* S-88

CYTOKINES AND GROWTH FACTORS

Role of angiotensin II in diabetic nephropathy. *David J. Leehey, Ashok K. Singh, Nahid Alavi, and Rekha Singh* S-93

Regulation of inositol 1,4,5-trisphosphate receptors by transforming growth factor-β: Implications for vascular dysfunction in diabetes. *Tracy A. McGowan and Kumar Sharma* S-99

Role of vascular endothelial growth factor in diabetic nephropathy. *Dae Ryong Cha, Nan Hee Kim, Jong Woo Yoon, Sang Kyung Jo, Won Yong Cho, Hyoung Kyu Kim, and Nam Hee Won* S-104

Role of vascular endothelial growth factor in diabetic vascular complications. *Lloyd Paul Aiello and Jun-Shyan Wong* S-113

KIDNEY INTERNATIONAL

Volume 58, Number 4, October 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Treatment of advanced renal failure: Low-protein diets or timely initiation of dialysis? *Rajnish Mehrotra and Karl D. Nolph* 1381

PERSPECTIVES IN BASIC SCIENCE

Connective tissue growth factor: Potential role in glomerulosclerosis and tubulointerstitial fibrosis. *Sunil Gupta, Michael R. Clarkson, Joseph Duggan, and Hugh R. Brady* 1389

GENETIC DISORDERS – DEVELOPMENT

Thirteen novel mutations of the replicated region of *PKD1* in an Asian population. *Bunyong Phakdeekitcharoen, Terry J. Watnick, Curie Ahn, Dae-Yeon Whang, Brian Burkhart, and Gregory G. Germino* 1400

Structural analysis of the 11β-hydroxysteroid dehydrogenase type 2 gene in end-stage renal disease. *Tanja Zaehner, Valmai Plueshke, Brigitte M. Frey, Felix J. Frey, and Paolo Ferrari* 1413

HORMONES – CYTOKINES – SIGNALING

Cerivastatin prevents angiotensin II-induced renal injury independent of blood pressure- and cholesterol-lowering effects. *Joon-Keun Park, Dominik N. Müller, Eero M.A. Mervaala, Ralf Dechend, Anette Fiebeler, Folke Schmidt, Markus Bieringer, Olaf Schäfer, Carsten Lindschau, Wolfgang Schneider, Detlev Ganten, Friedrich C. Luft, and Hermann Haller* 1420

Stretch activation of Jun N-terminal kinase/stress-activated protein kinase in mesangial cells. *Alistair J. Ingram, Leighton James, Hao Ly, Kerri Thai, and James W. Scholey* 1431

Down-regulation of human osteoblast PTH/PTHrP receptor mRNA in end-stage renal failure. *Michael L. Picton, Philip R. Moore, E. Barbara Mawer, David Houghton, Anthony J. Freemont, Alastair J. Hutchison, Ram Gokal, and Judith A. Hoyland* 1440

Functional modulation of the mineralocorticoid receptor by cis-diamminedichloroplatinum (II). *Takahisa Iida, Yuichi Makino, Kensaku Okamoto, Noritada Yoshikawa, Isao Makino, Tetsuya Nakamura, and Hirotoshi Tanaka* 1450

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Nephrin in experimental glomerular disease. *Pauliina Luimula, Heikki Ahola, Shi-Xuan Wang, Marja-Liisa Solin, Petri Aaltonen, Ilkka Tikkanen, Dontscho Kerjaschki, and Harry Holthöfer* 1461

Osteopontin expression in progressive renal injury in remnant kidney: Role of angiotensin II. *Xue Q. Yu, Leonard L. Wu, Xiao R. Huang, Niansheng Yang, Richard E. Gilbert, Mark E. Cooper, Richard J. Johnson, Kar N. Lai, and Hui Y. Lan* 1469

Cover: Space-filling model of the first PKD domain as determined by nuclear magnetic resonance spectroscopy (PBD code: 1B4R). The G1166S mutation occurs in PKD-R5 at a critical point in the PKD-R1 structure. G310, where a hairpin turn is formed between βC and βC′ (From Phakdeekitcharoen et al. Fig. 6B, p. 1410).

Mechanism of chronic obstructive uropathy: Increased expression of apoptosis-promoting molecules. *Yeong-Jin Choi, Elzbieta Baranowska-Daca, Vinh Nguyen, Takehiko Koji, Christie M. Ballantyne, David Sheikh-Hamad, Wadi N. Suki, and Luan D. Truong* 1481

Up-regulation of monocyte chemoattractant protein-1 in tubulointerstitial lesions of human diabetic nephropathy. *Takashi Wada, Kengo Furuichi, Norihiko Sakai, Yasunori Iwata, Keiichi Yoshimoto, Miho Shimizu, Shin-Ichi Takeda, Kazuya Takasawa, Mitsuhiro Yoshimura, Hiroshi Kida, Ken-Ichi Kobayashi, Naofumi Mukaida, Takero Naito, Kouji Matsushima, and Hitoshi Yokoyama* 1492

Microsphere-adenoviral complexes target and transduce the glomerulus in vivo. *N. Stanley Nahman, Jr., Thomas J. Sferra, Julie Kronenberger, Kathleen E. Urban, Anne E. Troike, Amy Johnson, Bethany J. Holycross, Gerard J. Nuovo, and Daniel D. Sedmak* 1500

Hepatocyte growth factor induces branching tubulogenesis in MDCK cells by modulating the activin-follistatin system. *Akito Maeshima, You-Qing Zhang, Megumi Furukawa, Takuji Naruse, and Itaru Kojima* 1511

Cubilin- and megalin-mediated uptake of albumin in cultured proximal tubule cells of opossum kidney. *Xiao Yue Zhai, Rikke Nielsen, Henrik Birn, Karina Drumm, Sigrid Mildenberger, Ruth Freudinger, Søren K. Moestrup, Pierre J. Verroust, Erik I. Christensen, and Michael Gekle* 1523

Diabetes mellitus increases endothelin-1 gene transcription in rat kidney. *Gaylene M. Hargrove, Josee Dufresne, Catharine Whiteside, Daniel A. Muruve, and Norman C.W. Wong* 1534

The Duffy antigen receptor for chemokines is up-regulated during acute renal transplant rejection and crescentic glomerulonephritis. *Stephan Segerer, Heinz Regele, Matthias Mack, Renate Kain, Jean-Pierre Cartron, Yves Colin, Dontscho Kerjaschki, and Detlef Schlöndorff* (See Editorial, p. 1816) 1546

Small proteoglycans of normal adult human kidney: Distinct expression patterns of decorin, biglycan, fibromodulin, and lumican. *Liliana Schaefer, Hermann-Josef Gröne, Igor Raslik, Horst Robenek, Jana Ugorcakova, Siegmund Budny, Roland M. Schaefer, and Hans Kresse* 1557

CD59 protects rat kidney from complement mediated injury in collaboration with Crry. *Midoriko Watanabe, Yoshiki Morita, Masashi Mizuno, Kazuhiro Nishikawa, Yukio Yuzawa, Nigishi Hotta, B. Paul Morgan, Noriko Okada, Hidechika Okada, and Seiichi Matsuo* 1569

Complement is activated in kidney by endotoxin but does not cause the ensuing acute renal failure. *Patrick N. Cunningham, V. Michael Holers, Jessy J. Alexander, Joel M. Guthridge, Michael C. Carroll, and Richard J. Quigg* 1580

Elastic fiber proteins in the glomerular mesangium in vivo and in cell culture. *R. Bernd Sterzel, Andrea Hartner, Ursula Schlötzer-Schrehardt, Susanne Voit, Birgit Hausknecht, Roberto Doliana, Alfonso Colombatti, Mark A. Gibson, Paola Braghetta, and Giorgio M. Bressan* 1588

Expression of DNA topoisomerases in chronic proliferative kidney disease. *Lilija V. Ivanova, Pierre Rudolph, Udo Kellner, Anja Jürgensen, Irina E. Tareeva, Per Alm, and Dietfrid Proppe* 1603

Binding properties of a selective tritiated vasopressin V_2 receptor antagonist, [^{3}H]-SR 121463. *Claudine Serradeil-Le Gal, Danielle Raufaste, Eléonore Double-Cazanave, Gilles Guillon, Corinne Garcia, Marc Pascal, and Jean Pierre Maffrand* 1613

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

Chronic effect of parathyroid hormone on NHE3 expression in rat renal proximal tubules. *Adriana C.C. Girardi, Silvia M.O. Titan, Gerhard Malnic, and Nancy A. Rebouças* 1623

Microcomputed tomography of kidneys following chronic bile duct ligation. *M. Clara Ortiz, Agustín García-Sanz, Michael D. Bentley, Lourdes A. Fortepiani, Joaquín García-Estañ, Erik L. Ritman, J. Carlos Romero, and Luis A. Juncos* 1632

H^+-ATPase activity on unilateral ureteral obstruction: Interaction of endogenous nitric oxide and angiotensin II. *Patricia G. Valles and Walter A. Manucha* 1641

Cyclosporine stimulates Na^+-K^+-Cl^- cotransport activity in cultured mouse medullary thick ascending limb cells. *Mai-Szu Wu, Chih-Wei Yang, Marcelle Bens, Kou-Cheng Peng, Hsiao-Mei Yu, and Alain Vandewalle* 1652

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Proinflammatory gene expression and macrophage recruitment in the rat remnant kidney. *Maarten W. Taal, Kambiz Zandi-Nejad, Berber Weening, Aliakbar Shahsafaei, Shinichiro Kato, Kang-Wook Lee, Farzad Ziai, Tang Jiang, Barry M. Brenner, and Harald S. Mackenzie* 1664

Effects of diabetes and hypertension on glomerular transforming growth factor-β receptor expression. *Myoung J. Kang, Alistair Ingram, Hao Ly, Kerri Thai, and James W. Scholey* 1677

Ryanodine receptor and capacitative Ca^{2+} entry in fresh preglomerular vascular smooth muscle cells. *Susan K. Fellner and William J. Arendshorst* 1686

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Changes in conjugated linoleic acid and its metabolites in patients with chronic renal failure. *Leonardo Lucchi, Sebastiano Banni, Maria P. Melis, Elisabetta Angioni, Gianfranca Carta, Viviana Casu, Renato Rapanà, Angela Ciuffreda, Francesco P. Corongiu, and Alberto Albertazzi* 1695

Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: The Insulin Resistance Atherosclerosis Study. *Andreas Festa, Ralph D'Agostino, Jr., George Howard, Leena Mykkänen, Russell P. Tracy, and Steven M. Haffner* 1703

Renal function and blood pressure five years after Puumala virus-induced nephropathy. *Satu Mäkelä, Ilpo Ala-Houhala, Jukka Mustonen, Anna-Maija Koivisto, Timo Kouri, Väinö Turjanmaa, Olli Vapalahti, Antti Vaheri, and Amos Pasternack* 1711

Causes of albuminuria in patients with type 2 diabetes without diabetic retinopathy. *Per K. Christensen, Svend Larsen, Thomas Horn, Steen Olsen, and Hans-Henrik Parving* 1719

A modern approach to selectivity of proteinuria and tubulointerstitial damage in nephrotic syndrome. *Claudio Bazzi, Concetta Petrini, Virginia Rizza, Girolamo Arrigo, and Giuseppe D'Amico* 1732

Serum C-peptide concentrations poorly phenotype type 2 diabetic end-stage renal disease patients. *Adrian M.C. Covic, Jeffrey R. Schelling, Marigel Constantiner, Sudha K. Iyengar, and John R. Sedor* 1742

Effects of bicarbonate- and lactate-buffered replacement fluids on cardiovascular outcome in CVVH patients. *Michael Barenbrock, Martin Hausberg, Fritz Matzkies, Stephan de la Motte, and Roland M. Schaefer* 1751

DIALYSIS – TRANSPLANTATION

Mortality caused by sepsis in patients with end-stage renal disease compared with the general population. *Mark J. Sarnak and Bertrand L. Jaber* 1758

Effects of lactate-buffered and lactate-free dialysate in CAVHD patients with and without liver dysfunction. *Adam G. McLean, Andrew Davenport, Dominic Cox, and Paul Sweny* 1765

Unrestricted pore area ($A_0/\Delta x$) is a better indicator of peritoneal membrane function than PET. *Eva Johnsson, Ann-Cathrine Johansson, Britt-Inger Andreasson, and Börje Haraldsson* 1773

Nitric oxide inhibits the formation of advanced glycation end products. *Koichi Asahi, Kohji Ichimori, Hiroe Nakazawa, Yuko Izuhara, Reiko Inagi, Tsuyoshi Watanabe, Toshio Miyata, and Kiyoshi Kurokawa* (See Editorial, p. 1814) 1780

Cyclosporine bone remodeling effect prevents steroid osteopenia after kidney transplantation. *François Pierre Westeel, Hakim Mazouz, Fatima Ezaitouni, Carine Hottelart, Christina Ivan, Patrice Fardellone, Michel Brazier, Isabelle El Esper, Jacques Petit, Jean Michel Achard, André Pruna, and Albert Fournier* 1788

TECHNICAL NOTE

Progressive adriamycin nephropathy in mice: Sequence of histologic and immunohistochemical events. *Yang Wang, Yi Ping Wang, Yuet-Ching Tay, and David C.H. Harris* 1797

Computational analysis of blood volume curves and risk of intradialytic morbid events in hemodialysis. *Joachim Beige, Jeremiah Sone, Arya M. Sharma, Martin Rudwaleit, Gerd Offermann, Armin Distler, and Lothar Preuschof* 1805

Color Doppler untrasonography imaging to guide transluminal angioplasty of venous stenosis. *Giuseppe Bacchini, Antonio Cappello, Vincenzo La Milia, Simeone Andrulli, and Francesco Locatelli* 1810

EDITORIALS

Nitric oxide, advanced glycation end products, and uremia. *Olivier Devuyst and Charles van Ypersele de Strihou* 1814

Light from DARCness. *David W.P. Lappin and Hugh R. Brady* 1816

LETTER TO THE EDITOR

Renoprotection and blood pressure. *Jerome G. Porush* 1818

NEPHROLOGY FORUM

Expanding the kidney donor pool: Ethical and medical considerations. *Susan Hou* 1820

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 1838

Awards and grants 1839

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 58, Number 5, November 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN BASIC SCIENCE

Plasminogen activator inhibitor type 1 is a potential target in renal fibrogenesis. *Jean-Philippe Rerolle, Alexandre Hertig, Geneviève Nguyen, Jean-Daniel Sraer, and Eric P. Rondeau* 1841

GENETIC DISORDERS – DEVELOPMENT

Focal segmental glomerulosclerosis associated with mitochondrial cytopathy. *Luc Moulonguet Doleris, Gary S. Hill, Pierre Chedin, Dominique Nochy, Christine Bellanne-Chantelot, Thomas Hanslik, Janine Bedrossian, Sophie Caillat-Zucman, Juliette Cahen-Varsaux, and Jean Bariety* 1851

Citrate therapy for polycystic kidney disease in rats. *George A. Tanner and Judith A. Tanner* 1859

Autosomal dominant Alport syndrome caused by a COL4A3 splice site mutation. *Frank T.L. van der Loop, Laurence Heidet, Erika D.J. Timmer, Bianca J.C. van den Bosch, Anu Leinonen, Corinne Antignac, J. Ashley Jefferson, A. Peter Maxwell, Leo A.H. Monnens, Cornelis H. Schröder, and Hubert J.M. Smeets* 1870

HORMONES – CYTOKINES – SIGNALING

Regulation of mesangial cell apoptosis and proliferation by intracellular Ca^{2+} signals. *Hilmi Saleh, Eberhard Schlatter, Detlef Lang, Hans-Gerd Pauels, and Stefan Heidenreich* 1876

Transforming growth factor-β1 antisense oligodeoxynucleotides block interstitial fibrosis in unilateral ureteral obstruction. *Yoshitaka Isaka, Michiko Tsujie, Yutaka Ando, Hiroyuki Nakamura, Yasufumi Kaneda, Enyu Imai, and Masatsugu Hori* 1885

Axial distribution and characterization of basolateral P2Y receptors along the rat renal tubule. *Matthew A. Bailey, Martine Imbert-Teboul, Clare Turner, Sophie Marsy, Kaila Srai, Geoffrey Burnstock, and Robert J. Unwin* 1893

Characterization of receptors for osteogenic protein-1/bone morphogenetic protein-7 (OP-1/BMP-7) in rat kidneys. *Dattatreyamurty Bosukonda, Mei-Shu Shih, Kuber T. Sampath, and Slobodan Vukicevic* (See Editorial, p. 2237) 1902

Hypoxia up-regulates angiopoietin-2, a Tie-2 ligand, in mouse mesangial cells. *Hai Tao Yuan, Su Ping Yang, and Adrian Spencer Woolf* 1912

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

CD44-mediated neutrophil apoptosis in the rat. *Kazunori Takazoe, Gregory H. Tesch, Prue A. Hill, Lyn A. Hurst, Zhao Jun, Hui Y. Lan, Robert C. Atkins, and David J. Nikolic-Paterson* 1920

Differential expression of renal AGE-receptor genes in NOD mice: Possible role in nonobese diabetic renal disease. *Ci-jiang He, Feng Zheng, Alan Stitt, Liliane Striker, Masakazu Hattori, and Helen Vlassara* 1931

Cover: Immunostaining for P-selectin showing intraglomerular expression in an allograft two hours after transplantation (See Dragun et al. Fig. 2E, p. 2169).

Efficacy of galectins in the amelioration of nephrotoxic serum nephritis in Wistar Kyoto rats. *Yoshinori Tsuchiyama, Jun Wada, Hong Zhang, Yoshitaka Morita, Keita Hiragushi, Kazuyuki Hida, Kenichi Shikata, Masahiro Yamamura, Yashpal S. Kanwar, and Hirofumi Makino* 1941

Induction of hyaluronan metabolism after mechanical injury of human peritoneal mesothelial cells in vitro. *Sue Yung, Gareth J. Thomas, and Malcolm Davies* 1953

F_2-isoprostanes mediate high glucose-induced TGF-β synthesis and glomerular proteinuria in experimental type I diabetes. *Angel Montero, Karen A. Munger, Rizwan Z. Khan, José M. Valdivielso, Jason D. Morrow, Antonio Guasch, Fuad N. Ziyadeh, and Kamal F. Badr* 1963

Components of normal serum block the focal segmental glomerulosclerosis factor activity in vitro. *Ram Sharma, Mukut Sharma, Ellen T. McCarthy, Xiu-Li Ge, and Virginia J. Savin* 1973

Association of decreased calcium-sensing receptor expression with proliferation of parathyroid cells in secondary hyperparathyroidism. *Shozo Yano, Toshitsugu Sugimoto, Tatsuo Tsukamoto, Kazuo Chihara, Akira Kobayashi, Sohei Kitazawa, Sakan Maeda, and Riko Kitazawa* 1980

Unilateral ureteral obstruction in neonatal rats leads to renal insufficiency in adulthood. *Robert L. Chevalier, Barbara A. Thornhill, and Alice Y. Chang* 1987

Evidence for Rho protein regulation of renal tubular epithelial cell function. *Robert J. Anderson, Carla J. Ray, and Michel R. Popoff* 1996

Induction of apoptosis during development of hypertensive nephrosclerosis. *Wei-Zhong Ying, Pei-Xuan Wang, and Paul W. Sanders* (See Editorial, p. 2235) 2007

Salutary role for angiotensin in partial urinary tract obstruction. *Hidehiko Fujinaka, Yoichi Miyazaki, Taiji Matsusaka, Hiroaki Yoshida, Agnes B. Fogo, Tadashi Inagami, and Iekuni Ichikawa* 2018

Endogenous hepatocyte growth factor ameliorates chronic renal injury by activating matrix degradation pathways. *Youhua Liu, Krupa Rajur, Evelyn Tolbert, and Lance D. Dworkin* 2028

ION CHANNELS – MEMBRANE TRANSPORT – INTEGRATIVE PHYSIOLOGY

High glucose accelerates the life cycle of the in vivo exposed mesothelium. *Avshalom Shostak, Valery Wajsbrot, and Lazaro Gotloib* 2044

Role of macula densa nitric oxide and cGMP in the regulation of tubuloglomerular feedback. *YiLin Ren, Jeffrey L. Garvin, and Oscar A. Carretero* 2053

Hyaluronan content in the kidney in different states of body hydration. *Peter Hansell, Viktoria Göransson, Cecilia Odlind, Bengt Gerdin, and Roger Hällgren* 2061

Autocrine effects of nitric oxide on HCO_3^- transport by rat thick ascending limb. *Pablo A. Ortiz and Jeffrey L. Garvin* 2069

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Renal expression of constitutive NOS and DDAH: Separate effects of salt intake and angiotensin. *Akihiro Tojo, Masumi Kimoto, and Christopher S. Wilcox* 2075

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

ACE inhibition or angiotensin receptor blockade: Impact on potassium in renal failure. *George L. Bakris, Martha Siomos, DeJuran Richardson, Imke Janssen, W. Kline Bolton, Lee Hebert, Rajiv Agarwal, and Daniel Catanzaro, for the VAL-K Study Group* 2084

Pretreatment blood pressure reliably predicts progression of chronic nephropathies. *Piero Ruggenenti, Annalisa Perna, Maria Lesti, Roberto Pisoni, Lidia Mosconi, Federica Arnoldi, Ilaria Ciocca, Flavio Gaspari, and Giuseppe Remuzzi, for the GISEN Group* 2093

Etiology of nephrocalcinosis in preterm neonates: Association of nutritional intake and urinary parameters. *Eveline A. Schell-Feith, Joana E. Kist-van Holthe, Nikk Conneman, Paul H.T. van Zwieten, Herma C. Holscher, Harmine M. Zonderland, Ronald Brand, and Bert J. van der Heijden* 2102

Influence of obesity on the appearance of proteinuria and renal insufficiency after unilateral nephrectomy. *Manuel Praga, Eduardo Hernández, Juan Carlos Herrero, Enrique Morales, Yolanda Revilla, Rafael Díaz-González, and José Luis Rodicio* 2111

Cross-sectional and longitudinal predictors of serum albumin in hemodialysis patients. *Sean F. Leavey, Robert L. Strawderman, Eric W. Young, Rajiv Saran, Erik Roys, Lawrence Y.C. Agodoa, Robert A. Wolfe, and Friedrich K. Port* 2119

Glomerular permselectivity in early stages of overt diabetic nephropathy. *Steen Andersen, Kristina Blouch, Joan Bialek, Marja Deckert, Hans-Henrik Parving, and Bryan D. Myers* 2129

DIALYSIS–TRANSPLANTATION

Multicompartment urea kinetics in well-dialyzed children. *Atul Sharma, Pauline Espinosa, Lorraine Bell, Alex Tom, and Celia Rodd* 2138

Importance of blood pressure control in hemodialysis patient survival. *Nelson Mazzuchi, Enriqueta Carbonell, and Juan Fernández-Cean* 2147

Mixed predilution and postdilution online hemodiafiltration compared with the traditional infusion modes. *Luciano A. Pedrini, Vincenzo De Cristofaro, Bruno Pagliari, and Francesco Samà* 2155

Ischemia-reperfusion injury in renal transplantation is independent of the immunologic background. *Duska Dragun, Uwe Hoff, Joon Keun Park, Yan Qun, Wolfgang Schneider, Friedrich C. Luft, and Hermann Haller* 2166

Factors associated with the prevalence of arteriovenous fistulas in hemodialysis patients in the HEMO Study. *Michael Allon, Daniel B. Ornt, Steven J. Schwab, Cynthia Rasmussen, James A. Delmez, Tom Greene, John W. Kusek, Alice A. Martin, and Sharon Minda, for the Hemodialysis (HEMO) Study Group* 2178

Glutathione S-transferase polymorphisms and skin cancer after renal transplantation. *Sara E. Marshall, Cristina Bordea, Neil A. Haldar, Charles G. Mullighan, Fenella Wojnarowska, Peter J. Morris, and Ken I. Welsh* 2186

Spurious estimations of sodium removal during CAPD when $[Na]^+$ is measured by Na electrode methodology. *Vincenzo La Milia, Salvatore Di Filippo, Monica Crepaldi, Simeone Andrulli, Paolo Marai, Giuseppe Bacchini, Lucia Del Vecchio, and Francesco Locatelli* 2194

Risk factors for hip fracture among patients with end-stage renal disease. *Catherine O. Stehman-Breen, Donald J. Sherrard, Astier M. Alem, Daniel L. Gillen, Susan R. Heckbert, Craig S. Wong, Adrianne Ball, and Noel S. Weiss* 2200

Acute rejection-associated tubular basement membrane defects and chronic allograft nephropathy. *Stephen M. Bonsib, Sameh R. Abul-Ezz, Ibrahim Ahmad, Scott M. Young, Eileen N. Ellis, Daniel L. Schneider, and Patrick D. Walker* 2206

TECHNICAL NOTE

CD28 knockout mice as a useful clue to examine the pathogenesis of chronic graft-versus-host reaction. *Shuhei Ogawa, Kosaku Nitta, Yasushi Hara, Shigeru Horita, Hiroshi Nihei, and Ryo Abe* 2215

Initial clinical results with the LifeSite® Hemodialysis Access System. *Gerald A. Beathard and Gerald A. Posen* 2221

Mass spectrometric monitoring of albumin in uremia. *Paul J. Thornalley, Marriana Argirova, Naila Ahmed, Vincent M. Mann, Ongian Argirov, and Anne Dawnay* 2228

EDITORIALS

Renal cell loss through cell suicide. *Alberto Ortiz* 2235

BMP receptors in kidney. *Jeffrey B. Kopp* 2237

LETTER TO THE EDITOR

Endothelin antagonism and contrast nephropathy. *John L. Haylor and Sameh K. Morcos* 2239

Contents continued on next page

NEPHROLOGY FORUM

Lupus nephritis and the anti-phospholipid antibody syndrome in pregnancy. *Ajay K. Singh* 2240

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 2255

Awards and grants 2256

Errata 2257

Instructions for Authors on page xvii

KIDNEY INTERNATIONAL

Volume 58, Number 6, December 2000

Official Journal of the International Society of Nephrology

Le Journal Officiel de la Société Internationale de Néphrologie

Table of contents

PERSPECTIVES IN RENAL MEDICINE

Relationship between nonphenacetin combined analgesics and nephropathy: A review. *Ad Hoc Committee of the International Study Group on Analgesics and Nephropathy: Alvan R. Feinstein (Chairman), Lothar A.J. Heinemann (Coordinator), Gary C. Curhan, Elizabeth Delzell, Paul J. DeSchepper, Johannes M. Fox, Helmut Graf, Friedrich C. Luft, Paul Michielsen, Michael J. Mihatsch, Samy Suissa, Fokko van der Woude, and Stefan Willich (members in alphabetical order)* 2259

PERSPECTIVES IN BASIC SCIENCE

Importance of quantitative genetic variations in the etiology of hypertension. *Oliver Smithies, Hyung-Suk Kim, Nobuyuki Takahashi, and Marshall H. Edgell* 2265

GENETIC DISORDERS – DEVELOPMENT

Genetic evidence for a novel gene(s) involved in urogenital development on 10q26. *Tsutomu Ogata, Koji Muroya, Isoji Sasagawa, Tomoki Kosho, Keiko Wakui, Satoru Sakazume, Katsumi Ito, Nobutake Matsuo, Hirofumi Ohashi, and Toshiro Nagai* 2281

Postnatal development and progression of renal dysplasia in cyclooxygenase-2 null mice. *Victoria F. Norwood, Scott G. Morham, and Oliver Smithies* 2291

HORMONES – CYTOKINES – SIGNALING

Antibody to transforming growth factor-β ameliorates tubular apoptosis in unilateral ureteral obstruction. *Akira Miyajima, Jie Chen, Cathy Lawrence, Steve Ledbetter, Robert A. Soslow, Joshua Stern, Sharda Jha, Joseph Pigato, Matthew L. Lemer, Dix P. Poppas, E. Darracott Vaughan, Jr., and Diane Felsen* 2301

Dopamine induces the expression of heme oxygenase-1 by human endothelial cells in vitro. *Stefan P. Berger, Mathias Hünger, Benito A. Yard, Peter Schnuelle, and Fokko J. van der Woude* 2314

Early diabetes mellitus stimulates proximal tubule renin mRNA expression in the rat. *Joseph Zimpelmann, Dinender Kumar, David Z. Levine, George Wehbi, John D. Imig, Luis G. Navar, and Kevin D. Burns* . . . 2320

CELL BIOLOGY – IMMUNOLOGY – PATHOLOGY

Integrin expression and IgA nephropathy: In vitro modulation with altered glycosylation and macromolecular IgA. *Licia Peruzzi, Alessandro Amore, Paola Cirina, Livio Trusolino, Giuseppe Basso, Emanuela Ricotti, Steven Noel Emancipator, Pier Carlo Marchisio, and Rosanna Coppo* 2331

Troglitazone halts diabetic glomerulosclerosis by blockade of mesangial expansion. *Kevin John McCarthy, Robert Earl Routh, Walter Shaw, Kathleen Walsh, Tomas Charles Welbourne, and John Hardwick Johnson* 2341

Hypoxia promotes fibrogenesis in human renal fibroblasts. *Jill T. Norman, Ian M. Clark, and Patricia L. Garcia* 2351

Cover: Cytoskeletal components of F-actin stress fibers and vimentin-containing fibers in a first-passage tissue culture of mesangial cells (see Cortes et al, Fig. 4B, p. 2457).

Renal fibrosis in mice treated with human recombinant transforming growth factor-β2. *Steven Ledbetter, Leslie Kurtzberg, Sineaid Doyle, and Bruce M. Pratt* 2367

Requirement of heat shock protein 90 in mesangial cell mitogenesis. *Michael Pieper, Harald D. Rupprecht, Katja M. Bruch, Emile de Heer, and Harald O. Schöcklmann* 2377

Vascular endothelial growth factor accelerates renal recovery in experimental thrombotic microangiopathy. *Yoon-Goo Kim, Shin-ichi Suga, Duk-Hee Kang, J. Ashley Jefferson, Marilda Mazzali, Katherine L. Gordon, Katsuyuki Matsui, Silvana Breiteneder-Geleff, Stuart J. Shankland, Jeremy Hughes, Dontscho Kerjaschki, George F. Schreiner, and Richard J. Johnson* (See Editorial by Remuzzi and Benigni, p. 2594)..... 2390

Heat shock protein-70 repairs proximal tubule structure after renal ischemia. *Bettina Bidmon, Michaela Endemann, Thomas Müller, Klaus Arbeiter, Kurt Herkner, and Christoph Aufricht* 2400

VASCULAR BIOLOGY – HEMODYNAMICS – HYPERTENSION

Monocyte chemoattractant protein-1 and macrophage infiltration in hypertensive kidney injury. *Karl F. Hilgers, Andrea Hartner, Markus Porst, Monika Mai, Michael Wittmann, Christian Hugo, Detlev Ganten, Helmut Geiger, Roland Veelken, and Johannes F.E. Mann* 2408

Cyclooxygenase-2 expression is associated with the renal macula densa of patients with Bartter-like syndrome. *Martin Kömhoff, Nikola D.M. Jeck, Hannsjörg W. Seyberth, Hermann J. Gröne, Rolf M. Nüsing, and Matthew D. Breyer* 2420

Regression of sclerosis in aging by an angiotensin inhibition-induced decrease in PAI-1. *Li-Jun Ma, Shinya Nakamura, Jeffrey S. Whitsitt, Carmelita Marcantoni, Jeffrey M. Davidson, and Agnes B. Fogo*..... 2425

Angiotensin type 2 receptor is expressed in the adult rat kidney and promotes cellular proliferation and apoptosis. *Zemin Cao, Darren J. Kelly, Alison Cox, David Casley, Josephine M. Forbes, Paul Martinello, Rachael Dean, Richard E. Gilbert, and Mark E. Cooper*..... 2437

F-actin fiber distribution in glomerular cells: Structural and functional implications. *Pedro Cortes, Mariela Méndez, Bruce L. Riser, Christopher J. Guérin, Alicia Rodríguez-Barbero, Clare Hassett, and Jerry Yee* 2452

Dietary potassium and magnesium supplementation in cyclosporine-induced hypertension and nephrotoxicity. *Anna-Kaisa Pere, Leena Lindgren, Päivi Tuomainen, Leena Krogerus, Pekka Rauhala, Juha Laakso, Heikki Karppanen, Heikki Vapaatalo, Juhani Ahonen, and Eero M.A. Mervaala*..... 2462

CLINICAL NEPHROLOGY – EPIDEMIOLOGY – CLINICAL TRIALS

Proteinase 3 gene polymorphisms and Wegener's granulomatosis. *Martin Gencik, Stephan Meller, Stefan Borgmann, and Harald Fricke*..... 2473

Pharmacodynamics and pharmacokinetics of polyethylene glycol-hirudin in patients with chronic renal failure. *Katrin Annett Pöschel, Elke Bucha, Hans-U. Esslinger, Peter Nörtersheuser, Ute Jansa, Sabine Schindler, Götz Nowak, and Günter Stein*..... 2478

ACEI/ATRA therapy decreases proteinuria by improving glomerular permselectivity in IgA nephritis. *Keng-Thye Woo, Yeow-Kok Lau, Kok-Seng Wong, and Gilbert Shih-Chen Chiang*..... 2485

Volumetric determination of progression in autosomal dominant polycystic kidney disease by computed tomography. *Cori Sise, Masatomo Kusaka, Louis H. Wetzel, Franz Winklhofer, Benjamin D. Cowley, Larry T. Cook, Michael Gordon, and Jared J. Grantham*..... 2492

DIALYSIS – TRANSPLANTATION

Effect of plasma fractions from patients with focal and segmental glomerulosclerosis on rat proteinuria. *Ludmilla Le Berre, Yann Godfrin, Laure Lafond-Puyet, Sabine Perretto, Didier Le Carrer, Jean-François Bouhours, Jean-Paul Soulillou, and Jacques Dantal*..... 2502

Prealbumin is as important as albumin in the nutritional assessment of hemodialysis patients. *Glenn M. Chertow, Kelly Ackert, Nancy L. Lew, J. Michael Lazarus, and Edmund G. Lowrie*..... 2512

Effect of dwell time on carbonyl stress using icodextrin and amino acid peritoneal dialysis fluids. *Yasuhiko Ueda, Toshio Miyata, Eric Goffin, Atsushi Yoshino, Reiko Inagi, Yoshitaka Ishibashi, Yuko Izuhara, Akira Saito, Kiyoshi Kurokawa, and Charles van Ypersele de Strihou* 2518

Protection from ototoxicity of intraperitoneal gentamicin in guinea pig. *Prapasri Sinswat, Wei-Jing Wu, Su-Hua Sha, and Jochen Schacht* 2525

Acute rejection before cytomegalovirus infection enhances von Willebrand factor and soluble VCAM-1 in blood. *Adriana M. Kas-Deelen, Martin C. Harmsen, Eltjo F. de Maar, Wia W. Oost-Kort, Jan W. Cohen Tervaert, Jan van der Meer, Willem J. van Son, and T. Hauw The* 2533

Risk of bacteremia from temporary hemodialysis catheters by site of insertion and duration of use: A prospective study. *Matthew J. Oliver, Sandra M. Callery, Kevin E. Thorpe, Steven J. Schwab, and David N. Churchill* 2543

Intragraft events preceding chronic renal allograft rejection in a modified tolerance protocol. *Akira Shimizu, Kazuhiko Yamada, David H. Sachs, and Robert B. Colvin* 2546

Cyclosporine toxicity in renal transplant recipients detected by nailfold capillaroscopy with Na-fluorescein. *Olivier Bongard, Daniel Weimer, Robert Lemoine, Jean-François Bolle, Michel Leski, and Henri Bounameaux* 2559

Urea and nitrogen excretion in pediatric peritoneal dialysis patients. *Susan R. Mendley and Nancy L. Majkowski* 2564

Plasma protein thiol oxidation and carbonyl formation in chronic renal failure. *Jonathan Himmelfarb, Ellen McMonagle, and Elizabeth McMenamin* 2571

TECHNICAL NOTE:

A fractional dialysate collection method to estimate solute removal in continuous venovenous hemodialysis. *Nigel S. Kanagasundaram, A. Brett Larive, and Emil P. Paganini, for the PICARD Study Group* 2579

A comparison of the results of renal transplantation from non–heart-beating, conventional cadaveric, and living donors. *Michael L. Nicholson, Matthew S. Metcalfe, Steven A. White, Julian R. Waller, Tahir M. Doughman, Terry Horsburgh, John Feehally, Susan J. Carr, and Peter S. Veitch* 2585

EDITORIALS

Evaluation of glomerular lesions in diabetes mellitus. *Michael W. Steffes and John M. Basgen* 2592

Repairing renal lesions: Will VEGF be the builder? *Giuseppe Remuzzi and Ariela Benigni* 2594

LETTERS TO THE EDITOR

Laparoscopic versus open donor nephrectomy. *Paul E. Morrissey, Peter N. Madras, Reg Y. Gohh, and Anthony P. Monaco* 2596

Is smoking a risk factor for progression of chronic renal failure? *Ola Samuelsson and Per-Ola Attman* ... 2597

The filtered complement hypothesis. *Carl J. Bentzel* 2597

NEPHROLOGY FORUM

The vasculopathy of autosomal dominant polycystic kidney disease: Insights from animal models. *M. Amin Arnaout* 2599

INTERNATIONAL SOCIETY OF NEPHROLOGY

Meetings 2612

Awards and grants 2613

Erratum 2614

ACKNOWLEDGMENT OF CORPORATE SPONSORS 2615

ACKNOWLEDGMENT OF REVIEWERS 2616

KEY WORD INDEX 2624

AUTHOR INDEX 2634

Instructions for Authors on page xvii